


MALLEABLE IRON BEAM CLAMPS ZINC PLATED



PART #	ROD SIZE	BOX QTY	WEIGHT PER C	MAX REC. LEAD LBS	PRICE PER C	
					100-900	1000
MBC 14Z	1/4-20	100	24 LBS	150	\$169.34	\$160.86

MALLEABLE IRON BEAM CLAMPS - PLAIN WITH STEEL SET SCREW AND LOCKNUTS 3/4" STANDARD MOUTH 350



PART #	ROD SIZE	BOX QTY	WEIGHT PER C	MAX REC. LEAD LBS	PRICE PER C	
					100-900	1000
MBC 38	3/8-16	100	36 LBS	400	\$205.38	\$193.03
MBC 12	1/2-13	100	43 LBS	500	\$363.69	\$338.35
MBC 58	5/8-11	50	47 LBS	600	\$659.27	\$613.26
MBC 34	3/4-10	50	76 LBS	800	\$920.03	\$855.84
MBC 78	7/8-9	50	69 LBS	1200	\$947.22	\$881.13

MALLEABLE IRON BEAM CLAMPS – PLAIN WITH STEEL SET SCREW AND LOCKNUTS 1 1/4" WIDE MOUTH 360

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	MAX REC. LEAD LBS	PRICE PER C	
					100 – 900	1000
MBC 38W	3/8 – 16	100	37 LBS	400	\$364.38	\$346.14
MBC 12W	1/2 - 13	100	43 LBS	500	\$633.99	\$602.29
MBC 58W	5/8 – 11	50	49 LBS	850	\$1,178.67	\$1,119.73
MBC 34W	3/4 - 10	50	87 LBS	900	\$1,508.33	\$1,432.91

- COMPLIES WITH FEDERAL SPEC. A – A 1192A AND MANUFACTURER’S STANDARDIZATION SOCIETY SP – 69 (TYPE 19). IF CLAMP IS USED IN AN INVERTED POSITION ON THE BOTTOM BEAM FLANGE ALSO COMPLIES WITH (TYPE 23)

**304 STAINLESS STEEL BEAM CLAMPS**

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	PRICE PER C	
				1-99	100
304BC14	1/4-20	100	34 LBS	\$3,392.00	\$2,915.00
304BC38	3/8-16	100	34 LBS	\$3,476.80	\$2,955.28
304BC12	1/2-13	100	33 LBS	\$3,996.20	\$3,396.77

316 STAINLESS STEEL BEAM CLAMPS

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	PRICE PER C	
				1-99	100
316BC14	1/4-20	100	34 LBS	\$3,922.00	\$3,392.00
316BC38	3/8-16	100	34 LBS	\$4,028.00	\$3,423.80
316BC12	1/2-13	100	33 LBS	\$4,632.20	\$3,937.37

STEEL "C" CLAMPS WITH LOCKNUT – PLAIN

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	PRICE PER C	
				1-99	100
SBC38	3/8-16	100	38 LBS	\$418.70	\$366.76
SBC12	1/2-13	100	39 LBS	\$552.26	\$441.81
SBC58	5/8-11	50	58 LBS	\$1,107.70	\$886.16
SBC34	3/4-10	50	69 LBS	\$1,420.40	\$1,136.32

304 STAINLESS STEEL "C" CLAMPS WITH LOCKNUT

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	PRICE PER C	
				1-99	100
304C38	3/8-16	100	38 LBS	\$2,703.00	\$2,426.02
304C12	1/2-13	100	39 LBS	\$2,814.62	\$2,530.96
304C58	5/8-11	50	58 LBS	\$6,507.34	\$5,856.61
304C34	3/4-10	50	69 LBS	\$10,436.76	\$9,393.08

306 STAINLESS STEEL "C" CLAMPS WITH LOCKNUT

PART #	ROD SIZE	BOX QTY	WEIGHT PER C	PRICE PER C	
				1-99	100
306C38	3/8 - 16	100	38 LBS	\$3,504.36	\$3,153.92
316C12	1/2 - 13	100	39 LBS	\$3,655.94	\$3,290.35

PIPE SPIKE®

BY POWERS FASTENERS



SIZE	DRILL BIT SIZE	MIN. EMBEDMENT	QTY	PRICE PER C
1/4"	3/16"	1 1/4"	100	\$149.53
3/8"	1/4"	1 3/4"	50	215.87

GRADE 8.2 CARBON STEEL

HANGERMATE® ANCHORS

FOR CONCRETE APPLICATIONS BY ELCO®

ROD SIZE	SHANK LENGTH	BOX QTY	PRICE PER C
1/4 - 20	1 3/4'	300	\$187.50
3/8 - 16	1 3/4"	300	\$242.50



HANGERMATE® INSTALLATION TOOL

DRIVE SLEEVE FOR MASONRY	\$54.75/ea
--------------------------	------------

DROP – IN ANCHORS

(1 TOOL INCLUDED PER 100)



SMOOTH

Part #	Size	Drill Size	Box Quantity	Price Per C		Setting Tool
				Carbon Steel	303/304 stainless	Price Per Each
D14P	1/4 x 1	3/8"	100	\$41.08	\$242.21	\$4.19
D38P	3/8 x 1 9/16	1/2"	100	\$46.59	\$348.69	\$4.72
D12P	1/2 x 2	5/8"	50	\$87.93	\$688.74	\$7.16
D58P	5/8 x 2 1/2	7/8"	25	\$206.65	\$1,404.40	\$12.83
D34P	3/4 x 3 1/8	1"	25	\$401.48	\$1,801.95	\$17.23

Meets GSA Spec FF-S-325, Group VIII, Type 1



KNURLED

Part #	Size	Drill Size	Box Quantity	Price Per C		Setting Tool
				Carbon Steel		Price Per Each
D14KP	1/4 x 1	3/8"	100	\$45.58		\$4.19
D38KP	3/8 x 1 9/16	1/2"	100	\$52.74		\$4.72
D12KP	1/2 x 2	5/8"	50	\$97.63		\$7.16
D58KP	5/8 x 2 1/2	7/8"	25	\$229.38		\$12.83
D34KP	3/4 x 3 1/8	1"	25	\$445.62		\$17.23

Meets GSA Spec FF-S-325, Group VIII, Type 1

RED HEAD® RX DROP – IN ANCHORS

SHORT CARBON STEEL – ZINC PLATED

Part #	Size	Drill Size	Box Quantity	Price Pre C	Setting Tool
					Price Per Each
RXD38	3/8 x 3/4	1/2"	100	\$151.05	\$5.30

Meets GSA Spec FF-S-325, Group VIII, Type 1

UL & FM Approved

ICBO & SBCCI

RED HEAD® Knurled 18 – 8 S/S Drop – In Anchors and Coil Threaded Anchors
 are available price upo

SHORT HEX COUPLING NUTS

ZINC



SIZE	LENGTH	WIDTH ACROSS THE FLATS	CARTON QTY	PRICE PER M
¼ - 20	7/8"	3/8"	2500	\$259.25
3/8 - 16	1 1/8"	5/8"	500	\$411.75
½ - 13	1 ¼"	11/16"	400	\$581.76

LONG HEX COUPLING NUTS


ZINC

SIZE	LENGTH	WIDTH ACROSS THE FLATS	CARTON QTY	PRICE PER M
3/8 - 16	1 ¾"	5/8"	500	\$778.36
½ - 13	1 ¾"	11/16"	400	\$823.50
5/8 - 11	2 1/8"	13/16"	350	\$1,390.80
¾ - 10	2 ¼"	1"	250	\$2,315.56
7/8 - 9	2 ½"	1 ¼"	125	\$5,397.28
1 - 8	2 ¾"	1 3/8"	100	\$6,177.29
1 ¼ - 7	3 ¾"	1 7/8"	50	\$15,666.69

REDUCED HEX COUPLING NUTS - ZINC

SIZE	LENGTH	WIDTH ACROSS THE FLATS	CARTON QTY	PRICE PER M
¼ - 20 - 3/8 - 16			1250	\$487.63

CLEVIS HANGERS




LIGHT DUTY					
Pipe Size	Rod Size	Light Max Load LBS	Price Per Each		
			Plain	E.G.	Copper
1/2"	3/8"	150		\$1.64	\$2.12
3/4"	3/8"	250		\$2.01	\$2.23
1"	3/8"	250	\$1.48	\$2.12	\$2.23
1 1/4"	3/8"	250	\$1.64	\$2.44	\$2.65
1 1/2"	3/8"	250	\$1.64	\$2.44	\$2.65
2"	3/8"	250	\$1.70	\$2.54	\$3.02
2 1/2"	1/2"	350	\$2.92	\$4.61	\$6.15
3"	1/2"	350	\$3.39	\$5.14	\$6.52
3 1/2"	1/2"	350	\$4.45	\$7.26	\$7.21
4"	5/8"	350	\$4.45	\$7.26	\$7.21
STANDARD					
5"	5/8"	1430	\$7.37	\$12.82	\$13.46
6"	3/4"	1940	\$8.48	\$16.70	\$13.67
8"	7/8"	2000	\$14.10	\$25.28	
10"	7/8"	3600	\$25.28	\$45.26	
12"	7/8"	3800	\$31.64	\$59.04	

STANDARD	
Price Per Each	Max Load LBS
HDG	
\$2.23	610
\$2.33	610
\$2.54	610
\$3.13	610
\$3.13	610
\$3.76	610
\$6.68	1130
\$8.00	1130
\$10.07	1130
\$10.07	1430
\$12.83	1430
\$16.70	1940
\$25.28	2000
\$45.26	3600
\$59.04	3800


Approvals: UL Listed & FM Approved for 2 1/2" Thru 8" Pipe. Complies with Federal Spec A – A – 1192A (Type 1) & MG Standardization Society SP – 69 (Type 1)

CLEVIS HANGERS Standard




Pipe Size	Rod Size A	B	C	Adjustment D	E	Cross Bolt	Material Size		Max. Rec. Load/lbs.	Wt. Each (in lbs.)
							Top	Bottom		
½	3/8	2 7/16	2 7/8	1 1/8	2	¼	11 ga. X 1	11 ga. X 1	610	.31
¾	3/8	2 5/8	3 1/8	1 ¼	2 3/16	¼	11 ga. X 1	11 ga. X 1	610	.33
1	3/8	3 1/16	3 ¾	1 5/8	2 5/8	¼	11 ga. X 1	11 ga. X 1	610	.37
1 ¼	3/8	3 5/8	4 3/16	1 5/8	2 15/16	¼	11 ga. X 1	11 ga. X 1	610	.41
1 ½	3/8	3 ½	4 7/16	1 ½	3 1/16	¼	11 ga. X 1	11 ga. X 1	610	.44
2	3/8	3 ¾	5	1 5/8	3 5/16	¼	11 ga. X 1	11 ga. X 1	610	.52
2 ½	½	3 7/8	5 3/8	1 1/8	3 ¼	3/8	7 ga X 1 1/4	7 ga X 1 1/4	1130	1.02
3	½	4 ¼	6	1 1/8	3 5/8	3/8	7 ga X 1 1/4	7 ga X 1 1/4	1130	1.10
3 1/2	1/2	4 1/2	6 1/2	1 1/4	3 7/8	3/8	7 ga X 1 1/4	7 ga X 1 1/4	1130	1.22
4	5/8	5 ½	7 11/16	1 ¾	4 11/16	3/8	3 ga.X 1 1/4	7 ga. X 1 ¼	1430	1.56
5	5/8	6 1/8	9 1/8	1 7/8	5 5/16	½	3 ga X 1 1/4	7 ga. X 1 ¼	1430	2.05
6	¾	6 7/8	10 1/8	1 5/8	6	½	3 ga X 1 1/2	7 ga. X 1 ½	1940	2.66
8	7/8	8 ¾	12 7/8	2 1/8	7 7/8	5/8	3 ga X 1 3/4	7 ga x 1 ¾	2000	4.17
10	7/8	9 1/4	14 5/8	1 ¾	8 1/8	¾	3/8 X 1 ¾	3 ga x 1 ¾	3600	8.11
12	7/8	11 5/8	18	2 ½	10 ½	¾	3/8 X 2	3 ga X 2	3800	10.05
14	1	12 ¾	19 ¾	2 5/8	11 ¼	7/8	½ X 2	3 ga x 2	4200	12.97
16	1	14 1/8	22 1/8	2 5/8	13 5/8	1	½ X 2 ½	¼ x 2 ½	4600	20.85
18	1 1/8	16 1/2	25 ½	3 ½	15	1 1/8	½ X 2 1/2	¼ X 2 ½	4800	24.75
24	1 ¼	18	28	4 1/8	16 ½	1 ¼	5/8 x 3	3/8 X 3	4800	42.45
30	1 ¼	20 ¼	32 ¼	4 ¾	18 3/8	1 ¼	5/8 x 3	3/8 X 3	4800	48.65
	1 ¼	24 ½	38 7/8	5 ½	21 ½	1 ¼	¾ x 3	3/8 X 3	6000	69.83
36	1 ½	32	50	8 ¾	30	1 ½	¾ X 6	½ X 6	9500	175.00

CLEVIS HANGERS LIGHT DUTY



Pipe Size	Rod Size A	B	C	Adjustment D	E	Cross Bolt	Material Size		Max. Rec. Load/lbs	Wt. Each (in lbs.)
							Top	Bottom		
1/2	3/8	2 9/16	3	1 1/4	2 3/16	1/4	16 ga. x 7/8	16 ga. x 7/8	150	.16
3/4	3/8	2 5/8	3 1/8	1 5/16	2 1/4	1/4	16 ga. x 7/8	16 ga. x 7/8	250	.19
1	3/8	3 1/16	3 3/4	1 11/16	2 11/16	1/4	16 ga. x 7/8	16 ga. x 7/8	250	.22
1 1/4	3/8	3 5/16	4 1/8	1 9/16	2 7/8	1/4	13 ga. x 7/8	13 ga. x 7/8	250	.29
1 1/2	3/8	3 7/16	4 3/8	1 9/16	3	1/4	13 ga. x 7/8	13 ga. x 7/8	250	.32
2	3/8	3 11/16	4 7/8	1 11/16	3 1/4	1/4	13 ga. x 7/8	13 ga. x 7/8	250	.35
2 1/2	1/2	3 13/16	5 1/4	1 1/4	3 1/4	3/8	11 ga. x 1 1/4	11 ga. x 1 1/4	350	.82
3	1/2	4 1/8	5 7/8	1 1/4	3 3/4	3/8	11 ga. x 1 1/4	11 ga. x 1 1/4	350	.91
3 1/2	1/2	4 1/8	6 1/2	3 5/16	3 15/16	3/8	11 ga. x 1 1/4	11 ga. x 1 1/4	350	1.07
4	5/8	5 5/8	7 7/8	1 15/16	5	3/8	7 ga. x 1/4	11ga. x 1 1/4	400	1.30

CLEVIS HANGERS COPPER



Pipe Size	Rod Size A	B	C	Adjustment D	E	Cross Bolt	Material Size		Max. Rec. Load/lbs.	Wt. Each (in lbs.)
							Top	Bottom		
1/2	3/8	2	3 1/8	1 5/16	2 7/16	1/4	16 GA. X 7/8	16 GA. X 7/8	150	.16
3/4	3/8	13/16	3	1 1/4	2 3/16	1/4	16 GA. X 7/8	16 GA. X 7/8	250	.16
1	3/8	2 9/16	3 1/8	1 5/16	2 3/16	1/4	16 GA. X 7/8	16 GA. X 7/8	250	.19
1 1/4	3/8	3 1/16	3 3/4	1 11/16	2	1/4	16 GA. X 7/8	16 GA. X 7/8	250	.22
1 1/2	3/8	3 5/16	4 1/8	1 9/16	2 11/16	1/4	13 GA. X 7/8	13 GA. X 7/8	250	.29
2	3/8	3 5/16	4 3/8		2 7/8	1/4	13 GA. X 7/8	13 GA. X 7/8	250	.32
2 1/2	1/2	3	4 7/8	1 3/8	3	3/8	11 GA. X 1 1/4	11 GA. X 1 1/4	350	.72
3	1/2	13/16	5 3/8	1 1/4	3 1/4	3/8	11 GA. X 1 1/4	11 GA. X 1 1/4	350	.82
3 1/2	1/2	4 1/8	5 7/8	1 1/4	3 9/16	3/8	11 GA. X 1 1/4	11 GA. X 1 1/4	350	.91
4	1/2	4 7/16	6 1/4	1 6/16	3 15/16	3/8	11 GA. X 1 1/4	11 GA. X 1 1/4	350	1.07

TEAR DROP HANGERS

(Swivel Ring Hangers)



STEEL			
Pipe Size	Rod Size	Max Load LBS	Price Per Each HDG
1/2"	3/8"	300	\$0.85
3/4"	3/8"	300	\$0.85
1"	3/8"	300	\$0.85
1 1/4"	3/8"	300	\$0.90
1 1/2"	3/8"	300	\$0.90
2"	3/8"	300	\$0.95
2 1/2"	1/2" 3/8"	600	\$1.59
3"	1/2"	600	\$1.59
3 1/2"	1/2"	600	\$2.17
4"	5/8"	1000	\$2.17
5"	5/8"	1000	\$3.18
6"	3/4"	1250	\$4.77

COPPER	
Max Load LBS	Price Per Each
300	\$1.54
300	\$1.54
300	\$1.54
300	\$1.59
300	\$1.59
300	\$1.64
525	\$4.56
525	\$5.41
525	\$6.63
650	\$6.63
1000	\$11.13
1000	\$14.42

Approvals: UL Listed & FM Approved for 3/4" To 8" sizes only. Complies with Federal Spec A – A – 1192A (Type 10) & MFG Standardization Society SP – 69 (Type 10)

TEAR DROP HANGERS

(Swivel Ring Hangers)




COPPER

Tube	Rod Size A	B	Adj C	D	E	Material Size	Max. Rec. Load/lbs.	Wt. Each (in lbs.)
1/2	3/8	2	1 11/16	2 7/8	3 1/4	18 ga. x 3/8	300	.11
3/4	3/8	1 3/4	1 3/8	2 11/16	3 1/8	18 ga x 5/8	300	.11
1	3/8	1 3/4	1	2 9/16	3 1/8	18 ga x 5/8	300	.11
1 1/4	3/8	1 3/4	15/16	2 9/16	3 1/4	18 ga x 3/4	300	.13
1 1/2	3/8	2 7/8	1 1/8	2 7/8	3 5/8	18 ga x 5/8	300	.15
2 1/2	3/8	2 3/8	1 1/8	3 1/4	4 5/8	18 ga x 5/8	525	.16
3	1/2	2 7/8	1 5/16	3 15/16	5 7/16	14 ga x 3/4	525	.32
3 1/2	1/2	3 1/8	1 1/8	4 1/8	5 7/8	14 ga x 3/4	525	.35
4	1/2	3 1/4	1 2/10	4 3/8	6 1/2	14ga x 3/4	650	.38
5	1/2	4 5/8	1 5/8	5 5/8	8 3/8	14 ga x 3/4	1000	.58
6	1/2	5 3/8	2 1/4	6 1/2	9 13/16	14 ga x 3/4	1000	.92

Pipe Size	Rod Size A	B	Adj. C	D	E	Material Size	Max. Rec. Load/lbs	Wt. Each (in lbs)
1/2	3/8		1 7/16	2 3/4	3 1/16	18 ga x 3/8	300	.09
3/4	3/8		1 1/8	2 1/2	3 1/16	18 ga x 3/8	300	.10
1	3/8		1	2 1/2	3 1/16	18 ga x 5/8	300	.10
1 1/4	3/8		1 1/16	2 15/16	3 7/16	18 ga x 5/8	300	.10
1 1/2	3/8		1 1/16	3 1/8	3 7/8	18 ga x 5/8	300	.11
2	3/8		1 1/8	3 3/10	4 3/8	18 ga x 5/8	300	.12
2 1/2	3/8		1 1/4	3 11/16	5 1/8	13 ga x 3/4	600	.32
3	1/2		1 1/8	4	5 7/8	13 ga x 3/4	600	.35
3 1/2	1/2		1 1/2	4 3/16	6 5/8	13 ga x 3/4	600	.39
4			1 1/4	4 15/16	7 1/8	12 ga x 3/4	1000	.43
5			1 3/8	5 5/8	8 1/2	12 ga x 3/4	1000	.65
6			2	6 11/16	10 1/8	11 ga x 1	1250	1.09
8			2 5/8	8 5/16	12 7/8	11 ga x 1	1250	1.24

RISER CLAMPS



STEEL					
Pipe Size	Bolt Size	Material Size	Max Load LBS	Price Per Each	
				Plain	HDG
1/2"	3/8 x 1 1/4	7 GA x 1 1/4	220	\$4.56	7.42
3/4"	3/8 x 1 1/4	7 GA x 1 1/4	220	\$4.61	7.53
1"	3/8 x 1 1/4	7 GA x 1 1/4	220	\$4.72	7.58
1 1/4"	3/8 x 1 1/4	7 GA x 1 1/4	250	\$5.62	10.02
1 1/2"	3/8 x 1 1/4	7 GA x 1 1/4	250	\$5.94	10.65
2"	3/8 x 1 1/4	7 GA x 1 1/4	300	\$6.25	11.02
2 1/2"	3/8 x 1 1/2	3 GA x 1 1/4	400	\$6.63	11.55
3"	3/8 x 1 1/2	3 GA x 1 1/4	500	\$7.21	12.40
3 1/2"	3/8 x 1 1/2	3 GA x 1 1/4	600	\$8.80	15.74
4"	1/2 x 1 3/4	3 GA x 1 1/2	750	\$9.06	16.43
5"	1/2 x 1 3/4	3 GA x 1 1/2	1500	\$12.56	23.59
6"	1/2 x 1 3/4	3 GA x 1 1/2	1600	\$15.05	26.18
8"	5/8 x 2	3/8 x 1 1/2	2500	\$24.54	45.26
10"	5/8 x 2	3/8 x 2	2500	\$36.57	64.66
12"	5/8 x 2	1/2 x 2	2700	\$43.30	80.72

COPPER		
Material Size	Max Load LBS.	Price Per Each
11GA x 1	75	\$4.77
11GA x 1	75	\$4.98
11GA x 1	120	\$6.47
11GA x 1	150	\$6.68
11GA x 1	150	\$8.11
11GA x 1 1/4	150	\$8.64
7 GA x 1 1/4	300	\$10.12
7 GA x 1 1/4	300	\$11.77
7 GA x 1 1/4	300	\$14.68
7 GA x 1 1/4	300	\$15.74
7 GA x 1 1/2	500	\$20.51
7 GA x 1 1/2	500	\$24.38

Approvals: Complies with Federal Spec A-A-1192A (Type 8) & MFG Standardization Society SP – 69 (Type 8)

RISER CLAMPS


STEEL



Pipe Size	B	Bolt Size	Material Size	Max. Rec.	Wt. Each
½	9	3/8 x 1 1/4	7 ga x 1 1/4	220	1.05
¾	9 3/8	3/8 x 1 1/4	7 ga x 1 1/4	220	1.10
1	9 5/8	3/8 x 1 1/4	7 ga x 1 1/4	220	1.10
1 1/4	10	3/8 x 1 1/4	7 ga x 1 1/4	250	1.60
1 1/2	10 3/8	3/8 x 1 1/4	7 ga x 1 1/4	250	1.60
2	10 3/4	3/8 x 1 1/4	7 ga x 1 1/4	300	1.70
2 1/2	11 ¼	3/8 x 1 1/2	3 ga x 1 1/4	400	1.90
3	11 3/4	3/8 x 1 1/2	3 ga x 1 1/4	500	1.90
3 1/2	13	3/8 x 1 1/2	3 ga x 1 1/4	600	2.30
4	13 1/2	½ x 1 3/4	3 ga x 1	750	2.40
5	14 1/2	½ x 1 3/4	3 ga x 1 ½	1500	3.60
6	16	½ x 1 3/4	3 ga x 1 1/2	1600	4.00
8	18	5/8 x 2	3/8 x 1 ½	2500	7.60
10	21 ½	5/8 x 2	3/8 x 2	2500	11.10
12	24	5/8 x 2 ½	½ x 2	2700	16.50
14	25	5/8 x 3	½ x 2	2700	17.70
16	26 ¼	¾ x 3 ½	5/8 x 2 ½	2900	30.40
18	28 3/8	¾ x 3 1/2	5/8 x 2 ½	2900	33.30
20	30	¾ x 3 ½	5/8 x 2 ½	2900	36.30
24	34 ¾	7/8 x 3 ½	5/8 x 3	2900	48.68
30	40 ¾	7/8 x 3 ½	5/8 x 3	2900	60.16

RISER CLAMPS COPPER

MATERIAL: Low carbon steel



Tube Size	B	Bolt Size	Material Size	Max. Rec.	Wt. Each (In
½	9	3/8 x 1 ¼	11ga. x 1	75	.69
¾	9	3/8 x 1 ¼	11ga. x 1	75	.68
1	9 1/8	3/8 x 1 ¼	11ga. x 1	120	.69
1 ¼	9 ½	3/8 x 1 ¼	11ga. x 1	150	.73
1 ½	9	3/8 x 1 ¼	11ga. x 1	150	.74
2	10 ¼	3/8 x 1 ¼	11 ga. x 1 ¼	150	.94
2 ½	10 ¾	3/8 x 1 ½	7 ga. x 1 ¼	300	1.09
3	11 ¼	3/8 x 1 ½	7 ga. x 1 ¼	300	1.38
3 1/2	12 1/2	3/8 x 1 ½	7 ga. x 1 ¼	300	1.60
4	13 3/4	3/8 x 1 ½	7 ga. x 1 ¼	300	1.63
5	14	½ x 1 ¾	7 ga. x 1 ½	500	2.25
6	14 1/2	½ x 1 ¾	7 ga. x 1 ½	500	2.50